



Rid Rust

A unique high specification, multi purpose, penetrant and lubricant



Part number: 34410 - 500ml aerosol
34411 - 5L bulk can

Features & Benefits

- PTFE based giving “non stick” properties - silicone free
- Lubricates and protects moving parts & bright metals against atmospheric acidity and road salts.
- Rapidly displaces damp & aqueous solutions from metal surfaces leaving water repellent film to protect against further damp penetration and subsequent corrosion.
- Displaces damp from electrical connections/contacts without affecting the electrical integrity of electrical circuitry
- Penetrates the finest tolerances to enable rusted, seized or corroded parts to be easily freed.
- Safe to use on rubbers and plastic

Applications

Rid Rust has been formulated to displace moisture in wet environments. It contains lubricating oils to reduce friction and provide corrosion protection.

Formula holds active ingredients in contact with the assembly.

All position spray valve makes application easy in tight or awkward positions.

Clear non-standing formula.

Rid Rust has been formulated to free seized, corroded parts, damp starting, lubricating/protecting of tools, cables, electric switch gear, should not be applied to live mains voltage and bright metal components

Instructions

1. Shake well before use.
2. Remove excess corrosion from parts and apply Rid Rust liberally.
3. Allow to penetrate, disassemble parts.
4. Heavily rusted parts may need a second application.



Technical Information

Part number:	34410 34411(bulk)	Appearance:	Light straw coloured oil
Description:	Rid rust	Specific gravity:	0.802g/ml
Shelf life:	60 months	Odour:	trace perfume/ solvent
Selling Unit:	each	Initial Boiling Point:	175 C
Size:	500ml / 5L	Auto ignition Temp:	230 C
Customs Tariff code aerosol:	34 03 191000	Film Weight:	2gms/m ²
Customs Tariff code bulk:	`3403 99 10	VOC:	595g/l aerosol 598g/l bulk



SDS available on www.kenteurope.com

Terms and Conditions

No part of this publication may be reproduced, transmitted or stored, electronically, mechanically or photocopied without the prior permission of KENT (United Kingdom) Ltd. This data sheet and its contents (the "Information") belong to the KENT (United Kingdom) Ltd or are licensed to it. No license is granted for the use of it other than for information purposes in connection with the products to which it relates. No license of any intellectual property rights is granted.

The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error from or omission in it nor for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including

liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence KENT is the trading name of KENT (United Kingdom) Ltd

Registered Office: Amber House, Showground Road, Bridgewater, Somerset, United Kingdom, TA6 6AJ
All rights reserved.

KENT (United Kingdom) Ltd, Forsyth House, Pitreavie Drive, Pitreavie Business Park, Dunfermline, Fife, KY11 8US
Tel : 0800 136925 or 01383 723344 between 08:30-17:30 Monday-Thursday, 09:00-15:00 on Fridays.
For out of hours queries please **Fax** us on 01383 735829 or **Email:** kentinfo.uk@kenteurope.com

Rev: 10/05/2017