

Printing date 19.12.2022 Version number 16 (replaces version 15) Revision: 19.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Sabaclean 21
- · CAS Number:

67-64-1

· EC number:

200-662-2

· Index number:

606-001-00-8

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Cleaning agent/ Cleaner
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SABA Dinxperlo BV

Meniststraat 7

NL-7091 ZZ Dinxperlo

The Netherlands

P.O Box 3

NL - 7090 AA Dinxperlo

The Netherlands

Tel.: +31 315 65 89 99 Fax: +31 315 65 32 07

E-mail: info@saba-adhesives.com Internet: www.saba-adhesives.com

- · Further information obtainable from: HSE department (e-mail: sds@saba-adhesives.com)
- · Emergency telephone number: SABA Dinxperlo BV: Tel.: +31 315 65 89 99

SECTION 2: Hazards identification

· Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements

The substance is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

acetone

· Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Contd. on page 2)

Printing date 19.12.2022 Version number 16 (replaces version 15) Revision: 19.12.2022

Trade name: Sabaclean 21

(Contd. of page 1)

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P261 Avoid breathing mist/vapours/spray.
 P280 Wear protective gloves / eye protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

· Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- ·Substances
- · CAS No. Description

67-64-1 acetone

- · Identification number(s)
- · EC number: 200-662-2
- · Index number: 606-001-00-8

SECTION 4: First aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Take affected persons out of danger area and lay down.

Remove any clothing soiled by the product.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting.

If symptoms persist consult doctor.

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.

· Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

(Contd. on page 3)

Printing date 19.12.2022 Version number 16 (replaces version 15) Revision: 19.12.2022

Trade name: Sabaclean 21

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Keep people at a distance and stay on the windward side.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· Precautions for safe handling

The usual precautionary measures are to be adhered to when handling chemicals.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Protect from frost.

Protect from heat and direct sunlight.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Inhalative DNEL Consumer 200 mg/m3 (Chronic effects; Systemic)

· Control parameters

· Ingredient	· Ingredients with limit values that require monitoring at the workplace:					
67-64-1 ac	etone					
WEL Shor	WEL Short-term value: 3620 mg/m³, 1500 ppm					
Long	Long-term value: 1210 mg/m³, 500 ppm					
· DNELs	DNELs					
67-64-1 ac	etone					
Oral	DNEL Consumer	62 mg/kg BW (Chronic effects; Systemic)				
Dermal	DNEL Consumer	62 mg/kg BW (Chronic effects; Systemic)				
	DNEL Worker	186 mg/kg BW (Chronic effects; Systemic)				

(Contd. on page 4)

Printing date 19.12.2022 Version number 16 (replaces version 15) Revision: 19.12.2022

Trade name: Sabaclean 21

		(Contd. c	of page 3)
	DNEL Worker	2,420 mg/m3 (Acute effects; Local)	
		1,210 mg/m3 (Acute effects; Systemic)	
PNECs			
67-64-1 ac	etone		
PNEC Aqu	iatic ecosystem	10.6 mg/l (Fresh water)	
		21.5 mg/l (Intermittent release)	
		1.06 mg/l (Marine water)	
		100 mg/l (Sewage treatment)	
PNEC Aqu	iatic ecosystem	30.4 mg/kg (Fresh water sediment)	
		3.04 mg/kg (Marine water sediment)	
PNEC Terr	restrial ecosystem	29.5 mg/kg (Soil)	

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Remove any clothing soiled by the product.

· Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Recommended filter:

Filter AX

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Neoprene gloves

- · Eye/face protection Safety glasses
- Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

Physical state
Colour:
Odour:
Odour threshold:
Fluid
Colourless
Characteristic
No data available.

(Contd. on page 5)

Printing date 19.12.2022 Version number 16 (replaces version 15) Revision: 19.12.2022

Trade name: Sabaclean 21

(Contd. of page
-95.35 °C
55.8-56.6 °C
Highly flammable.
2.1 Vol %
13 Vol %
-19 °C
465 °C
No data available.
7
,
0.32 mPas
0.32 m1 us
Fully miscible.
- 0.24 Log POW 233 hPa
233 HI U
0.9 0/0113
0.8 g/cm^3
$2.0 \; (air = 1)$
Liquid
i
Not determined.
Product is not explosive. However, formation of
explosive air/vapour mixtures are possible.
No data available.
100.0 %
790.0 g/l
100.0 %
58.01 g/mol
55.01 8/1101
No data available.
5.6 - 14.4 (BuAc = 1)
<u> </u>
S
Void
Highly flammable liquid and vapour.
Void
Void
Void
Vola
Void Void

Printing date 19.12.2022 Version number 16 (replaces version 15) Revision: 19.12.2022

Trade name: Sabaclean 21

(Contd. of page 5)

Desensitised explosives
 Additional information
 The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Violent reactions with strong alkalis and oxidising agents.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- · Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

L	· LD/LC30 values relevant for classification:					
ſ	67-64-1 ac	etone				
Ī	Oral	LD50	>3,000 mg/kg (mouse)			
			>5,000 mg/kg (rat)			
İ	Dermal	LD50	>5,000 mg/kg (rat)			
			>15,000 mg/kg (rabbit)			
	Inhalative	LC50/4 h	76 mg/l (rat)			

- · Skin corrosion/irritation Repeated exposure may cause skin dryness or cracking.
- · Serious eye damage/irritation Causes serious eye irritation.
- · STOT-single exposure May cause drowsiness or dizziness.
- · Information on other hazards
- · Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

- · Toxicity
- · Aquatic toxicity:

67-64-1 acetone

EC50 39 mg/kg (daphnia)

- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class I (German Regulation) (Assessment by list): slightly hazardous for water

(Contd. on page 7)

Printing date 19.12.2022 Version number 16 (replaces version 15) Revision: 19.12.2022

Trade name: Sabaclean 21

(Contd. of page 6)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

· European waste catalogue

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

$\overline{}$		037				C	
7	Ю	()/V	14	ranspor	t ini	าการทาง	ากท

- · UN number or ID number
- · ADR/RID/ADN, IMDG, IATA UN1090
- · UN proper shipping name
- · ADR/RID/ADN 1090 ACETONE · IMDG, IATA ACETONE
- · Transport hazard class(es)
- · ADR/RID/ADN



- · Class 3 (F1) Flammable liquids.
- · Label
- · IMDG, IATA



- · Class 3 Flammable liquids.
- · Label
- · Packing group
- · ADR/RID/ADN, IMDG, IATA II
- · Environmental hazards: Not applicable.
- · Special precautions for user Warning: Flammable liquids.

3

- · Hazard identification number (Kemler code): 33
- EMS Number: F-E,S-D
- · Stowage Category E
- · Maritime transport in bulk according to IMO

instruments Not applicable.

(Contd. on page 8)

Printing date 19.12.2022 Version number 16 (replaces version 15) Revision: 19.12.2022

Trade name: Sabaclean 21

	(Contd. of pag
Transport/Additional information:	
· ADR/RID/ADN	
· Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	IL
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1090 ACETONE, 3, II

SECTION 15: Regulatory information

- · Registration status
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Contact: HSE department (e-mail: sds@saba-adhesives.com).
- · Date of preparation / last revision
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Eye Irrit. 2: Serious eye damage/ eye irritation, Hazard Category 2

Flam. Liq. 2: Flammable liquids - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.

GB